

## SECTION 1: IDENTIFICATION

Product Name: Tangerine Tango (No. 208)

Product Description: Fragrance Oil

Product Form: Mixture

### Recommended Use:

Aromatic fragrance ingredient in concentrated form to be combined with other ingredients to create a finished product. Use according to established regulatory guidelines.

### Recommended Restrictions:

For Manufacturing Use Only

### Company:

Deep South Fragrance  
11 Coolidge Avenue  
Ormond Beach, Florida 32174  
For Information Email: [support@deepsouthfragrance.com](mailto:support@deepsouthfragrance.com)

### Emergency Contact Information:

No information available

## SECTION 2: HAZARD(S) IDENTIFICATION

### 2.1 Classification of the Substance or Mixture

#### Class and Category of Danger:

Flammable Liquid, Hazard Category 4  
Skin Corrosion/Irritation Category 2  
Eye Damage/Irritation Category 2  
Sensitization - Skin Category 1  
Aspiration, Hazard Category 1  
Hazardous to the Aquatic Environment - Acute Hazard Category 2  
Hazardous to the Aquatic Environment - Long Term Hazard Category 2

H227 - Combustible liquid  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H411 - Toxic to aquatic life with long lasting effects

## 2.2 Label Elements

Signal Word: Danger

Hazard Statements:

H227 - Combustible liquid  
H304 - May be fatal if swallowed and enter airways  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements:

P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking  
P261 Avoid breathing vapor or dust  
P264 Wash hands and other contacted skin thoroughly after handling  
P272 Contaminated work clothing should not be allowed out of the workplace  
P273 Avoid release to the environment  
P280 Wear protective gloves/eye protection/face protection  
P301 + P310 IF SWALLOWED Immediately call a POISON CENTER or doctor/physician  
P302 + P352 IF ON SKIN Wash with plenty of soap and water  
P305 + P351 + P338 IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P331 Do not induce vomiting  
P333 + P313 If skin irritation or rash occurs get medical advice/attention  
P337 + P313 If eye irritation persists get medical advice/attention  
P362 Take off contaminated clothing and wash before reuse  
P370 + P378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction  
P391 Collect spillage  
P403 + P235 Store in well ventilated place. Keep cool  
P501 Dispose of contents/container to approved disposal site, in accordance with local regulations

(GHS) Hazard Symbol(s):



### 2.3 Other Hazards

Other hazards:

Hydrocarbon Concentration %: 22.5000%

## SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS

### 3.2 Mixtures

This product is a mixture of ingredients containing the following substances representing a health or environmental hazard according to GHS (Global Harmonized System).

Substance	CAS #	Percentage
ORANGE OIL FLORIDA	8028-48-6	20 - <50%
BENZALDEHYDE	100-52-7	1- <5%
ALLYL HEXANOATE	123-68-2	1- <5%
2-PHENOXYETHYL ISOBUTYRATE	103-60-6	1- <5%
HEXYL BENZOATE	6789-88-4	1- <5%
LIME OIL DIST MEXICO	8008-26-2	1- <5%
BUTYLATED HYDROXYTOLUENE	128-37-0	1- <5%
gamma-DECALACTONE	706-14-9	1- <5%
ETHYLENE BRASSYLATE	105-95-3	1- <5%
LINALOOL	78-70-6	1- <5%
gamma-UNDECALACTONE	104-67-6	1- <5%
DECANAL	112-31-2	1- <5%
DIHYDROMYRCENOL	18479-58-8	.1 - <1%
GERANIOL	106-24-1	.1 - <1%
OCTANAL	124-13-0	.1 - <1%
2-METHYL-4-PHENYLPENTANOL	92585-24-5	.1 - <1%

ALLYL alpha-IONONE	79-78-7	.1 - <1%
alpha-METHYL-1,3-BENZODIOXOLE-5-PROPIONALDEHYDE	1205-17-0	.1 - <1%
CITRAL	5392-40-5	.1 - <1%
ISOEUGENYL METHYL ETHER	93-16-3	.1 - <1%
ETHYL HEXANOATE	123-66-0	.1 - <1%
2,6-DIMETHYL-5-HEPTENAL	106-72-9	.1 - <1%
GERANIOL	141-27-5	.1 - <1%
EUCALYPTOL	470-82-6	.1 - <1%
NERAL	106-26-3	.1 - <1%
Alpha-1-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE	43052-87-5	.1 - <1%
1-FORMYL-1-METHYL-4-(4-METHYL-PENTYL)-3-CYCLOHEXENE	66327-54-6	.1 - <1%
ALLYL (3-METHYLBUTOXY)ACETATE	67634-00-8	.1 - <1%
2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE	68039-49-6	.1 - <1%

Substances with workplace exposure limits, not listed above:

Not applicable

Trade Secret Declaration:

The exact chemical makeup of this mixture is held to be a trade secret. Additional information will be made available upon request from authorized medical professionals through normal legal channels.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of First Aid Measures

Inhalation:

Remove from exposure site to fresh air, keep at rest, and obtain medical attention

Eye Exposure:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## Ingestion (Swallowing):

Rinse mouth with water and obtain medical attention if you feel unwell

## Skin Exposure:

IF ON THE SKIN: Remove contaminated clothes. Wash with plenty of soap and water

## 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

May be fatal if swallowed and enters airways

Causes skin irritation

May cause an allergic skin reaction

Causes serious eye irritation

## 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

None expected, see Section 4.1 for further information

## **SECTION 5: FIRE FIGHTING MEASURES**

### 5.1 Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>), foam, or dry chemical

### 5.2 Special Hazards Arising from the Substance or Mixture

In case of fire, may be liberated: Carbon monoxide, unidentified organic compounds

### 5.3 Advise for Fire Fighters

In case of insufficient ventilation, wear suitable respiratory equipment

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8

## 6.2 Environmental Precautions

Keep away from drains, surface and ground water and soil

## 6.3 Methods and Material for Containment Cleanup

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations

## 6.4 Reference to Other Sections

Also refer to Sections 8 and 13

## **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for Safe Handling

Keep away from heat, sparks, open flames and hot surfaces. No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in well ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge

### 7.3 Specific End Use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices

## **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

## 8.1 Control Parameters

### Workplace exposure limits:

Not applicable

## 8.2 Exposure Controls

### Eye/Skin Protection:

Wear protective gloves/eye protection/face protection

### Respiratory Protection:

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapor, this material should not require engineering controls. However, in conditions of high or prolonged use or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimize exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation b) Personnel can use an approved, appropriately fitted respirator with organic vapor cartridge or canisters and particulate filters c) Use closed systems for transferring and processing this material

Also refer to Sections 2 and 7

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on Basic Physical and Chemical Properties

Appearance:	Free flowing liquid without sediment
Odor:	Characteristic
Odor Threshold:	Not determined
pH:	Not determined
Melting Point/Freezing Point:	Not determined
Initial Boiling Point/ Range:	Not determined
Flash Point:	63 Degrees C

Evaporation Rate:	Not determined
Flammability (solid, gas):	Not determined
Explosive Limits:	Not an explosion hazard
Vapor Pressure:	Not determined
Vapor Density:	Not determined
Relative Density:	0.9060 - 0.9160
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition Temperature:	Not determined
Decomposition Temperature:	Not determined
Explosive Properties:	Not expected
Oxidizing Properties:	Not expected

## 9.2 Other Information

Refractive Index @20C:	1.4555 - 1.4655
Flash Point:	146 Degrees F
Calculated VOC:	21.13
Color Range:	7 Yellow - 9 Yellow

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

Product is non-reactive under normal conditions including transport, storage, and use.

### 10.2 Chemical Stability

Good stability under normal conditions including transport, storage, and use.

### 10.3 Possibility of Hazardous Reactions

No dangerous reaction known under normal conditions.



#### 10.4 Conditions to Avoid

Avoid freezing, excessive temperatures, open flame, and improper storage. Avoid contamination.

#### 10.5 Incompatible Materials

Avoid contact with strong acids, alkalis, or oxidizing agents

#### 10.6 Hazardous Decomposition Products

None expected

### SECTION 11: TOXICOLOGY INFORMATION

This mixture has not been tested, as a whole, for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Based on available data the classification criteria are not met
Acute Toxicity Oral:	>5000
Acute Toxicity Dermal:	>5000
Acute Toxicity Inhalation:	Not Available
Skin Corrosion/Irritation:	Skin Corrosion/Irritation Category 2
Serious Eye Damage/Irritation:	Eye Damage/Irritation Category 2
Respiratory or Skin Sensitization:	Sensitization - Skin Category 1
Germ Cell Mutagenicity:	Based on available data the classification criteria are not met
Carcinogenicity:	Based on available data the classification criteria are not met
Reproductive Toxicity:	Based on available data the classification criteria are not met
STOT – Single Exposure:	Based on available data the classification criteria are not met
STOT – Repeated Exposure:	Based on available data the classification criteria are not met
Aspiration Hazard:	Based on available data the classification criteria are not met

Information about Hazardous Ingredients in the mixture:

Ingredient	CAS #	LD50/ ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Allyl (3-methylbutoxy) acetate	67634-00-8	500	Not Available	0.46	Dust/mist mg/l
Allyl hexanoate	123-68-2	300	300	3	Not Available
Benzaldehyde	100-52-7	1430	2500	11	Not Available
Linalool	78-70-6	2790	Not Available	Not Available	Not Available

Refer to Sections 2 and 3 for additional information

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects

### 12.2 Persistence and Degradability

No information available

### 12.3 Bio accumulative Potential:

No information available

### 12.4 Mobility in Soil

No information available

### 12.5 Other Adverse Effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste Treatment Methods

Dispose in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal

## SECTION 14: TRANSPORTATION INFORMATION

### 14.1 UN Number

UN Model Regulations: UN3082  
IMDG: UN3082  
ADR, RID, ADN: UN3082  
ICAO TI: UN3082

### 14.2 UN Proper Shipping Name

UN Model Regulations: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl benzoate, ORANGE OIL FLORIDA)  
IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl benzoate, ORANGE OIL FLORIDA) MARINE POLLUTANT  
ADR, RID, ADN: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl benzoate, ORANGE OIL FLORIDA)  
ICAO TI: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl benzoate, ORANGE OIL FLORIDA)

### 14.3 Transport Hazard Class(es)

UN Model Regulations: 9  
IMDG: 9  
ADR, RID, ADN: 9  
ICAO TI: 9

### 14.4 Packing Group

UN Model Regulations: III  
IMDG: III  
ADR, RID, ADN: III  
ICAO TI: III

### 14.5 Environmental Hazards

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code

#### 14.6 Special Precautions for User

No additional precautions

#### 14.7 Transport in Bulk According to Annex II of MARPOL73 and the IBC Code

Not classified

### SECTION 15: REGULATORY INFORMATION

Components Listed on California's Proposition 65:

Substance	CAS #	Percentage
Myrcene	123-35-3	<.1%

Essential Oil Components:

Substance	CAS #	Percentage
Orange Oil Florida	8028-48-6	20 - <50%
Lime Oil Dist Mexico	8008-26-2	1 - 5%
Litsea Cubeba Oil	68855-99-2	.1 - <1%

Components Listed on California's SB312:

Substance	CAS #	Percentage
Diethyl Adipate (S) "DOA"	103-23-1	20 - <50%
Phenirat	103-60-6	1 - <5%
Linalool	78-70-6	1 - <5%
Geraniol 980	106-24-1	0.1 - <1%

Citral	5392-40-5	0.1 - <1%
--------	-----------	-----------

## SECTION 16: OTHER INFORMATION

Revisions: Revision 2

Key to Revisions:

None

Disclaimer:

The information and recommendations in this SDS were obtained from current and reputable sources and are being constantly updated. However, the data is provided without any warranty, express or implied, regarding its accuracy. It is the user's responsibility both to determine the safe conditions for the use of this product and to assume liability for loss, injury, damage, or expense resulting from the improper use of this product.